

Race Star Wheel Applications

These are recommended fits for O.E. vehicles to the best of our knowledge and resources.

CHEVROLET CARS ALL YEARS

58-70 Biscayne, Bel Air, Impala, Caprice, Super Sport 5x4.75 70.3 0-15 7/16 (B-Body)										
oe front	14	6.00					0.00	3.50	3.50	
oe rear	14	6.00					0.00	3.50	3.50	
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/oe	
front	15	3.75	82_92	-537240	-28.70		1.25	3.50	0.00	
front	15	5.00	92	-550244	-15.80		2.38	3.62	0.12	
front/ rear	15	6.00	32	-560231	-8.13		3.12	3.88	0.38	XX
front/ rear	15	7.00	32	-570238	-5.06		3.74	4.26	0.76	XX
front/ rear	15	7.00	92	-570246	-12.70		3.50	4.50	1.00	
rear	15	8.00	32	-580245	0.00		4.44	4.56	1.06	XX
rear	15	8.00	92	-580247	-12.70		4.00	5.00	1.50	XX
rear	15	8.00	82_92	-580248	0.00		4.50	4.50	1.00	XX
front	17	4.50	82_92	-745242	-25.40		1.75	3.75	0.25	
front	17	4.50	95	-745242	-25.40		1.75	3.75	0.25	
front/ rear	17	6.00	32	-760235	0.00		3.44	3.56	0.06	XX
front/ rear	17	7.00	32	-770238	-5.10		3.74	4.26	0.76	XX
front/ rear	17	7.00	92	-770247	6.40		4.25	3.75	0.25	XX
front/ rear	17	7.00	95	-770247	6.40		4.25	3.75	0.25	XX
rear	17	8.00	32	-780245	0.00		4.44	4.56	1.06	XX
rear	17	8.00	92	-780248	0.00		4.50	4.50	1.00	XX
front	18	5.00	92	-850245	-25.40		2.00	4.00	0.50	
front	18	5.00	95	-850245	-25.40		2.00	4.00	0.50	
front/ rear	18	7.00	32	-870240	0.00		3.94	4.06	0.56	XX
rear	20	8.50	32	-085247	0.00		4.69	4.81	1.31	XX

notes c/c
Relocating rear shocks inboard may be required

64-67 Chevelle, Malibu, 300, El Camino 5x4.75 70.3 0-15 7/16 (A-Body)										
oe front	14	6.00					4.09	2.91		
oe rear	14	6.00					4.09	2.91		
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/oe	
front	15	3.75	82_92	-537240	-28.70		1.25	3.50	0.60	
front	15	5.00	92	-550244	-15.80		2.38	3.62	0.71	
front/ rear	15	6.00	32	-560231	-8.13		3.12	3.88	0.97	XX
front/ rear	15	7.00	32	-570238	-5.06		3.74	4.26	1.35	XX
front/ rear	15	7.00	92	-570246	-12.70		3.50	4.50	1.59	
rear	15	8.00	32	-580245	0.00		4.44	4.56	1.65	XX
rear	15	8.00	92	-580247	-12.70		4.00	5.00	2.09	XX
rear	15	8.00	82_92	-580248	0.00		4.50	4.50	1.59	XX
front	17	4.50	82_92	-745242	-25.40		1.75	3.75	0.84	
front	17	4.50	95	-745242	-25.40		1.75	3.75	0.84	
front/ rear	17	6.00	32	-760235	0.00		3.44	3.56	0.65	XX
front/ rear	17	7.00	32	-770238	-5.10		3.74	4.26	1.35	XX
front/ rear	17	7.00	92	-770247	6.40		4.25	3.75	0.84	XX
front/ rear	17	7.00	95	-770247	6.40		4.25	3.75	0.84	XX
rear	17	8.00	32	-780245	0.00		4.44	4.56	1.65	XX
rear	17	8.00	92	-780248	0.00		4.50	4.50	1.59	XX
front	18	5.00	92	-850245	-25.40		2.00	4.00	1.09	
front	18	5.00	95	-850245	-25.40		2.00	4.00	1.09	
front/ rear	18	7.00	32	-870240	0.00		3.94	4.06	1.15	XX
rear	20	8.50	32	-085247	0.00		4.69	4.81	1.90	XX

notes c/c

68-72 Chevelle, Malibu, 300, Super Sport, El Camino 5x4.75 70.3 0-15 7/16 (A-Body)										
oe front	14	6.00					3.50	3.50		
oe rear	14	6.00					3.50	3.50		
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/oe	
front	15	3.75	82_92	-537240	-28.70		1.25	3.50	0.00	
front	15	5.00	92	-550244	-15.80		2.38	3.62	0.12	
front	15	6.00	32	-560231	0.00		3.44	3.56	0.06	XX
front/ rear	15	7.00	32	-570238	-5.10		3.74	4.26	0.76	XX
front/ rear	15	7.00	92	-570246	-12.70		3.50	4.50	1.00	
rear	15	8.00	32	-580245	0.00		4.44	4.56	1.06	XX
rear	15	8.00	92	-580247	-12.70		4.00	5.00	1.50	XX
rear	15	8.00	82_92	-580248	0.00		4.50	4.50	1.00	XX

82/ 92	32	01/ 95
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
605-31414-10/20 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
605-31414-10/20 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
601-1414-20 (closed), 601-1424-20 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
605-41414-10 (closed)		7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2437-10 (closed)		7/16 lug kit, (95 series) (ACORN LUG NUT)
605-41414-10/20 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
605-31414-10/20 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2437-10 (closed)		7/16 lug kit, (95 series) (ACORN LUG NUT)
605-41414-10/20 (closed)		7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2437-10 (closed)		7/16 lug kit, (95 series) (ACORN LUG NUT)
605-11414-10/20 (closed)		7/16 lug kit, (82/92 series) (13/16 x 1.68 long SHANK, 70.3hr)
605-31414-10/20 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)

82/ 92	32	01/ 95
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
605-31414-10/20 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
605-31414-10/20 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
601-1414-20 (closed), 601-1424-20 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
605-41414-10 (closed)		7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2437-10 (closed)		7/16 lug kit, (95 series) (ACORN LUG NUT)
605-41414-10/20 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
605-31414-10/20 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2437-10 (closed)		7/16 lug kit, (95 series) (ACORN LUG NUT)
605-11414-10/20 (closed)		7/16 lug kit, (82/92 series) (13/16 x 1.68 long SHANK, 70.3hr)
605-31414-10/20 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)

rear	15	10.00	32	-510255	0.00	5.44	5.56	2.06		XX	XX	XX	
rear	15	10.00	82, 92	-510250	0.00	5.50	5.50	2.00					
front	17	4.50	82, 92	-745242	-25.40	1.75	3.75	0.25			XX	XX	
front	17	4.50	95	-745242	-25.40	1.75	3.75	0.25					XX
front	17	6.00	32	-760235	0.00	3.44	3.56	0.06		XX			
front/ rear	17	7.00	32	-770238	-5.10	3.74	4.26	0.76		XX			
front/ rear	17	7.00	92	-770247	6.40	4.25	3.75	0.25				XX	
front/ rear	17	7.00	95	-770247	6.40	4.25	3.75	0.25					XX
rear	17	8.00	32	-780245	0.00	4.44	4.56	1.06		XX			
rear	17	8.00	92	-780248	0.00	4.50	4.50	1.00				XX	
rear	17	9.00	32	-780250	0.00	4.94	5.06	1.56					
front	18	5.00	92	-850245	-25.40	2.00	4.00	0.50				XX	
front	18	5.00	95	-850245	-25.40	2.00	4	0.50					XX
front/ rear	18	7.00	32	-870240	0.00	3.94	4.06	0.56		XX			
rear	18	10.00	32	-810255	0.00	5.44	5.56	2.06		XX			
front/ rear	20	8.50	32	-085247	0.00	4.69	4.81	1.31		XX			
rear	20	10.00	32	-000255	0.00	5.44	5.56	2.06		XX			

notes c/c

73-77 Chevelle, Malibu, Super Sport, El Camino, Monte Carlo 5x4.75 70.3 0-15 7/16 (A-Body)															
oe front	15	7.00					4.00	4.00							
oe rear	15	7.00					4.00	4.00							
		dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/ oe	01	32	82	92	95
front	15	3.75	82, 92	-537240	-28.70	1.25	3.50	-0.50				XX	XX		
front	15	5.00	92	-550244	-15.80	2.38	3.62	-0.38					XX		
front	15	6.00	32	-560231	0.00	3.44	3.56	-0.44			XX				
front/ rear	15	7.00	32	-570238	-5.10	3.74	4.26	0.26			XX				
front/ rear	15	7.00	92	-570246	-12.70	3.50	4.50	0.50					XX		
rear	15	8.00	32	-580245	0.00	4.44	4.56	0.56			XX				
rear	15	8.00	92	-580247	-12.70	4.00	5.00	1.00					XX		
rear	15	8.00	82, 92	-580248	0.00	4.50	4.50	0.50				XX	XX		
rear	15	10.00	32	-510255	0.00	5.44	5.56	1.56			XX				
rear	15	10.00	82, 92	-510250	0.00	5.50	5.50	1.50				XX	XX		
front	17	4.50	82, 92	-745242	-25.40	1.75	3.75	-0.25				XX	XX		
front	17	4.50	95	-745242	-25.40	1.75	3.75	-0.25						XX	
front	17	6.00	32	-760235	0.00	3.44	3.56	-0.44			XX				
front/ rear	17	7.00	32	-770238	-5.10	3.74	4.26	0.26			XX				
front/ rear	17	7.00	92	-770247	6.40	4.25	3.75	-0.25					XX		
front/ rear	17	7.00	95	-770247	6.40	4.25	3.75	-0.25						XX	
rear	17	8.00	32	-780245	0.00	4.44	4.56	0.56			XX				
rear	17	8.00	92	-780248	0.00	4.50	4.50	0.50					XX		
rear	17	9.00	32	-780250	0.00	4.94	5.06	1.06			XX				
front	18	5.00	92	-850245	-25.40	2.00	4.00	0.00					XX		
front	18	5.00	95	-850245	-25.40	2.00	4	0.00						XX	
front/ rear	18	7.00	32	-870240	0.00	3.94	4.06	0.06			XX				
rear	18	10.00	32	-810255	0.00	5.44	5.56	1.56			XX				
front/ rear	20	8.50	32	-085247	0.00	4.69	4.81	0.81			XX				
rear	20	10.00	32	-000255	0.00	5.44	5.56	1.56			XX				

notes c/c

78-83 Malibu 5x4.75 70.3 0-15 12mm (G Body)															
oe front	15	6.00			15.00		4.09	2.91							
oe rear	16	6.00			15.00		4.09	2.91							
		dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/ oe	01	32	82	92	95
front	15	3.75	82, 92	-537240	-28.70	1.25	3.50	0.60				XX	XX		
front	15	5.00	92	-550244	-15.80	2.38	3.62	0.71					XX		
front	15	6.00	32	-560231	-10.10	3.04	3.96	1.05			XX				
front	15	7.00	32	-570240	0.00	3.94	4.06				XX				
front	15	7.00	92	-570246	-12.70	3.50	4.50	1.59					XX		
front/ rear	15	8.00	32	-580245	0.00	4.44	4.56	1.65			XX				
front/ rear	15	8.00	92	-580247	-12.70	4.00	5.00	2.09					XX		
front/ rear	15	8.00	82, 92	-580248	0.00	4.50	4.50	1.59				XX	XX		
front	17	4.50	82, 92	-745242	-25.40	1.75	3.75	0.84				XX	XX		
front	17	4.50	95	-745242	-25.40	1.75	3.75	0.84						XX	
front	17	7.00	32	-770240	0.00	3.94	4.06	1.15			XX				
front	17	7.00	92	-770247	6.40	4.25	3.75	0.84					XX		
front	17	7.00	95	-770247	6.40	4.25	3.75	0.84						XX	
front	17	8.00	32	-780245	0.00	4.44	4.56	1.65			XX				
rear	17	8.00	92	-780248	0.00	4.50	4.50	1.59					XX		

605-41414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open),	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open),	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2437-10/ 20 (closed)	7/16 lug kit, (95 series) (ACORN LUG NUT)
605-41414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
605-31414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open),	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2437-10/ 20 (closed)	7/16 lug kit, (95 series) (ACORN LUG NUT)
605-41414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
605-41414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2437-10 (closed)	7/16 lug kit, (95 series) (ACORN LUG NUT)
605-11414-10/20 (closed)	7/16 lug kit, (82/92 series) (13/16 x 1.68 long SHANK, 70.3hr)
605-31414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
605-31414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
605-31414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)

	82/ 92	32	01/ 95
601-1414-10 (closed), 601-1424-10 (open)			
601-1414-10 (closed), 601-1424-10 (open)			
605-31414-10 (closed)			
605-31414-10 (closed)			
601-1414-10/ 20 (closed), 601-1424-20 (open)			
605-41414-10/20 (closed)			
601-1414-10 (closed), 601-1424-10 (open)			
601-1414-10 (closed), 601-1424-10 (open)			
605-41414-10 (closed)			
601-1414-10 (closed), 601-1424-10 (open),			
601-1414-10 (closed), 601-1424-10 (open),			
602-2437-10/ 20 (closed)			
605-41414-10 (closed)			
605-31414-10 (closed)			
601-1414-10 (closed), 601-1424-10 (open),			
601-1414-10 (closed), 601-1424-10 (open)			
605-41414-10 (closed)			
601-1414-10 (closed), 601-1424-10 (open)			
605-11414-10/20 (closed)			
605-31414-10 (closed)			
605-31414-10/20 (closed)			
605-31414-10 (closed)			

rear	17	9.00	32	-790250	0.00		4.94	5.06	2.15				XX				
rear	17	9.50	92	-795249	0.00		5.25	5.25	2.34						XX		
front	18	5.00	92	-850245	-25.40		2.00	4.00	1.09						XX		
front	18	5.00	95	-850245	-25.40		2.00	4.00	1.09								XX
front	18	7.00	32	-870240	0.00		3.94	4.06	1.15				XX				
front/rear	18	8.50	92	-885250	17.50		5.44	4.06	1.15						XX		
front/rear	18	8.50	95	-885250	17.50		5.44	4.06	1.15								XX
front	20	8.50	32	-085248	0.00		4.69	4.81	1.90				XX				
notes	c/c																

605-31412-10 (closed)			12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10/20 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
605-31412-10 (closed)			12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10/20 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
605-31412-10 (closed)			12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)

62-67 Chevy II, Nova 5x4.75 70.3 0-15 7/16 (X-Body)																	
oe front	14	6.00			0.00			3.50	3.50								
oe rear	14	6.00			0.00			3.50	3.50								

		dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/ oe	01	32	82	92	95
front	15	3.75	82, 92	-537240	-28.70		1.25	3.50	0.00				XX	XX	
front	15	5.00	92	-550244	-15.80		2.38	3.62	0.12					XX	
front/ rear	15	6.00	32	-560231	-8.13		3.12	3.88	0.38			XX			
front/ rear	15	7.00	32	-570238	-5.06		3.74	4.26	0.76			XX			
front/ rear	15	7.00	92	-570246	-12.70		3.50	4.50	1.00					XX	
rear	15	8.00	32	-580245	0.00		4.44	4.56	1.06			XX			
rear	15	8.00	82, 92	-580248	0.00		4.50	4.50	1.00				XX	XX	
front	17	4.50	82, 92	-745242	-25.40		1.75	3.75	0.25				XX		
front	17	4.50	95	-745242	-25.40		1.75	3.75	0.25						XX
front/ rear	17	6.00	32	-760235	0.00		3.44	3.56	0.06			XX			
front/ rear	17	7.00	32	-770238	-5.10		3.74	4.26	0.76			XX			
front/ rear	17	7.00	92	-770247	6.40		4.25	3.75	0.25					XX	
front/ rear	17	7.00	95	-770247	6.40		4.25	3.75	0.25						XX
rear	17	8.00	32	-780245	0.00		4.44	4.56	1.06			XX			
rear	17	8.00	92	-780248	0.00		4.50	4.50	1.00					XX	
front	18	5.00	92	-850245	-25.40		2.00	4.00	0.50						XX
front	18	5.00	95	-850245	-25.40		2.00	4.00	0.50						XX
front/ rear	18	7.00	32	-870240	0.00		3.94	4.06	0.56			XX			
rear	20	8.50	32	-085247	0.00		4.69	4.81	1.31			XX			

82/ 92	32	01/ 95
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
605-31414-10/20 (closed)		
7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)		
605-31414-10/20 (closed)		
7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)		
601-1414-20 (closed), 601-1424-20 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
605-41414-10 (closed)		
7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)		
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open),		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2437-10 (closed)		
7/16 lug kit, (95 series) (ACORN LUG NUT)		
605-41414-10/20 (closed)		
7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)		
605-31414-10/20 (closed)		
7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)		
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2437-10 (closed)		
7/16 lug kit, (95 series) (ACORN LUG NUT)		
605-41414-10 (closed)		
7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)		
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2437-10 (closed)		
7/16 lug kit, (95 series) (ACORN LUG NUT)		
605-11414-10/20 (closed)		
7/16 lug kit, (82/92 series) (13/16 x 1.68 long SHANK, 70.3hr)		
605-31414-10/20 (closed)		
7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)		

68-74 Chevy II, Nova 5x4.75 70.3 0-15 7/16 (X-Body)																	
oe front	14	7.00			15.00			4.59	3.41								
oe rear	14	7.00			15.00			4.59	3.41								

		dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/ oe	01	32	82	92	95
front	15	3.75	82, 92	-537240	-28.70		1.25	3.50	0.10				XX	XX	
front	15	5.00	92	-550244	-15.80		2.38	3.62	0.21					XX	
front/ rear	15	6.00	32	-560231	-8.13		3.12	3.88	0.47			XX			
front/ rear	15	7.00	32	-570238	-5.06		3.74	4.26	0.85			XX			
front/ rear	15	7.00	92	-570246	-12.70		3.50	4.50	1.09					XX	
rear	15	8.00	32	-580245	0.00		4.44	4.56	1.15			XX			
rear	15	8.00	82, 92	-580248	0.00		4.50	4.50	1.09				XX	XX	
front	17	4.50	82, 92	-745242	-25.40		1.75	3.75	0.34				XX		
front	17	4.50	95	-745242	-25.40		1.75	3.75	0.34						XX
front/ rear	17	6.00	32	-760235	0.00		3.44	3.56	0.15			XX			
front/ rear	17	7.00	32	-770238	-5.10		3.74	4.26	0.85			XX			
front/ rear	17	7.00	92	-770247	6.40		4.25	3.75	0.34					XX	
front/ rear	17	7.00	95	-770247	6.40		4.25	3.75	0.34						XX
rear	17	8.00	32	-780245	0.00		4.44	4.56	1.15			XX			
rear	17	8.00	92	-780248	0.00		4.50	4.50	1.09					XX	
front	18	5.00	92	-850245	-25.40		2.00	4.00	0.59						XX
front	18	5.00	95	-850245	-25.40		2.00	4.00	0.59						XX
front/ rear	18	7.00	32	-870240	0.00		3.94	4.06	0.65			XX			
rear	20	8.50	32	-085247	0.00		4.69	4.81	1.40			XX			

82/ 92	32	01/ 95
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
605-31414-10/20 (closed)		
7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)		
605-31414-10/20 (closed)		
7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)		
601-1414-20 (closed), 601-1424-20 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
605-41414-10 (closed)		
7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)		
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open),		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2437-10 (closed)		
7/16 lug kit, (95 series) (ACORN LUG NUT)		
605-41414-10/20 (closed)		
7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)		
605-31414-10/20 (closed)		
7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)		
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2437-10 (closed)		
7/16 lug kit, (95 series) (ACORN LUG NUT)		
605-11414-10/20 (closed)		
7/16 lug kit, (82/92 series) (13/16 x 1.68 long SHANK, 70.3hr)		
605-31414-10/20 (closed)		
7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)		

75-79 Chevy II, Nova 5x4.75 70.3 0-15 7/16 (X-Body)																	
oe front	14	7.00			15.00			4.59	3.41								
oe rear	14	7.00			15.00			4.59	3.41								

		dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/ oe	01	32	82	92	95
front	15	3.75	82, 92	-537240	-28.70		1.25	3.50	0.10				XX	XX	
front	15	5.00	92	-550244	-15.80		2.38	3.62	0.21					XX	
front/ rear	15	6.00	32	-560231	-8.13		3.12	3.88	0.47			XX			
front/ rear	15	7.00	32	-570238	-5.06		3.74	4.26	0.85			XX			
front/ rear	15	7.00	92	-570246	-12.70		3.50	4.50	1.09					XX	

82/ 92	32	01/ 95
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
605-31414-10/20 (closed)		
7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)		
605-31414-10/20 (closed)		
7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)		
601-1414-20 (closed), 601-1424-20 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)

front/ rear	18	7.00	32	-870240	0.00	3.94	4.06	0.65		XX					605-11414-10/20 (closed)	7/16 lug kit, (82/92 series) (13/16 x 1.68 long SHANK, 70.3hr)		
rear	20	8.50	32	-085247	0.00	4.69	4.81	1.40		XX					605-31414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)		
notes	c/c																	
2004 Monte Carlo 5x115 70.3 35-45mm 12mm (FWD)																		
oe front	17	6.50				52.00				5.80	1.70							
oe rear	17	6.50				52.00				5.80	1.70							
	dia.	width		part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/ oe		32	82	92	95	82/ 92	32	01/ 95	
rear	15	3.75	82, 92	-537140	-28.70		1.25	3.50	1.80			XX	XX				601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	15	5.00	92	-550144	-15.80		2.38	3.62	1.92				XX				601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	15	10.00	92	-510154	44.00		7.23	3.77	2.06				XX				601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front/rear	15	8.00	82, 92	-580150	19.00		5.25	3.75	2.05			XX	XX				601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	17	4.50	82, 92	-745142	-25.40		1.75	3.75	2.05			XX	XX				601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	17	4.50	95	-745142	-25.40		1.75	3.75	2.05								602-2439-10/ 20 (closed)	12mm lug kit, (95 series) (ACORN LUG NUT)
front/rear	17	7.00	92	-770247	6.40		4.25	3.75	2.05				XX				601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front/rear	17	7.00	95	-770247	6.40		4.25	3.75	2.05								602-2439-10/ 20 (closed)	12mm lug kit, (95 series) (ACORN LUG NUT)
front/rear	17	9.50	92	-795153	41.00		6.86	3.64	1.93				XX				601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front/rear	17	9.50	95	-795153	41.00		6.86	3.64	1.93								602-2439-10/ 20 (closed)	12mm lug kit, (95 series) (ACORN LUG NUT)
rear	18	5.00	92	-850145	-25.40	-12.70	2.50	3.50	1.80				XX				601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	18	5.00	95	-850145	-25.40		2.00	4.00	2.30								602-2439-10/ 20 (closed)	12mm lug kit, (95 series) (ACORN LUG NUT)
front/rear	18	8.50	92	-885152	28.00		5.85	3.65	1.94				XX				601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front/rear	18	8.50	95	-885152	28.00		5.85	3.65	1.94								602-2439-10/ 20 (closed)	12mm lug kit, (95 series) (ACORN LUG NUT)
front/rear	20	9.00	92	-090152	34.00		6.34	3.66	1.96			XX					601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front/rear	20	6.00	92	-060146	-2.50		3.40	3.60	1.90			XX					601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
notes	c/c																	