



73-77 Chevelle, Malibu, Super Sport, El Camino, Monte Carlo 5x4.75 70.3 0-15 7/16 (A-Body)															
oe front		15	7.00				0.00	4.00	4.00						
oe rear		15	7.00				0.00	4.00	4.00						
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/oe	01	32	82	92	95	
front	15	3.75	82 92	-537240	-28.70		1.25	3.50	-0.50			XX	XX		
front	15	5.00	92	-550244	-15.80		2.38	3.62	-0.38						
front	15	6.00	32	-560231	0.00		3.44	3.56	-0.44		XX		XX		
front/rear	15	7.00	32	-570238	-5.10		3.74	4.26	0.26		XX				
front/rear	15	7.00	92	-570246	-12.70		3.50	4.50	0.50			XX			
rear	15	8.00	32	-580245	0.00		4.44	4.56	0.56		XX				
rear	15	8.00	92	-580247	-12.70		4.00	5.00	1.00				XX		
rear	15	8.00	82 92	-580248	0.00		4.50	4.50	0.50			XX	XX		
rear	15	10.00	32	-510255	0.00		5.44	5.56	1.56		XX				
rear	15	10.00	82 92	-510250	0.00		5.50	5.50	1.50			XX	XX		
front	17	4.50	82 92	-745242	-25.40		1.75	3.75	-0.25			XX	XX		
front	17	4.50	95	-745242	-25.40		1.75	3.75	-0.25					XX	
front	17	6.00	32	-760235	0.00		3.44	3.56	-0.44		XX				
front/rear	17	7.00	32	-770238	-5.10		3.74	4.26	0.26		XX				
front/rear	17	7.00	92	-770247	6.40		4.25	3.75	-0.25			XX			
front/rear	17	7.00	95	-770247	6.40		4.25	3.75	-0.25				XX		
rear	17	8.00	32	-780245	0.00		4.44	4.56	0.56		XX				
rear	17	8.00	92	-780248	0.00		4.50	4.50	0.50				XX		
rear	17	9.00	32	-780250	0.00		4.94	5.06	1.06		XX				
front	18	5.00	92	-850245	-25.40		2.00	4.00	0.00				XX		
front	18	5.00	95	-850245	-25.40		2.00	4.00	0.00					XX	
front/rear	18	7.00	32	-870240	0.00		3.94	4.06	0.06		XX				
rear	18	10.00	32	-810255	0.00		5.44	5.56	1.56		XX				
front/rear	20	8.50	32	-085247	0.00		4.69	4.81	0.81		XX				
rear	20	10.00	32	-000255	0.00		5.44	5.56	1.56		XX				
notes	c/c														
78-83 Malibu 5x4.75 70.3 0-15 12mm (G Body)															
oe front		15	6.00				15.00	4.09	2.91						
oe rear		16	6.00				15.00	4.09	2.91						
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/oe	01	32	82	92	95	
front	15	3.75	82 92	-537240	-28.70		1.25	3.50	0.60			XX	XX		
front	15	5.00	92	-550244	-15.80		2.38	3.62	0.71						
front	15	6.00	32	-560231	-10.10		3.04	3.96	1.05		XX				
front	15	7.00	32	-570240	0.00		3.94	4.06			XX				
front	15	7.00	92	-570246	-12.70		3.50	4.50	1.59			XX			
front/rear	15	8.00	32	-580245	0.00		4.44	4.56	1.65		XX				
front/rear	15	8.00	92	-580247	-12.70		4.00	5.00	2.09				XX		
front/rear	15	8.00	82 92	-580248	0.00		4.50	4.50	1.59			XX	XX		
front	17	4.50	82 92	-745242	-25.40		1.75	3.75	0.84			XX	XX		
front	17	4.50	95	-745242	-25.40		1.75	3.75	0.84					XX	
front	17	7.00	32	-770240	0.00		3.94	4.06	1.15		XX				
front	17	7.00	92	-770247	6.40		4.25	3.75	0.84				XX		
front	17	7.00	95	-770247	6.40		4.25	3.75	0.84					XX	
front	17	8.00	32	-780245	0.00		4.44	4.56	1.65		XX				
rear	17	8.00	92	-780248	0.00		4.50	4.50	1.59				XX		
rear	17	9.00	32	-790250	0.00		4.94	5.06	2.15		XX				
rear	17	9.50	92	-795249	0.00		5.25	5.25	2.34				XX		
front	18	5.00	92	-850245	-25.40		2.00	4.00	1.09					XX	
front	18	5.00	95	-850245	-25.40		2.00	4.00	1.09					XX	
front	18	7.00	32	-870240	0.00		3.94	4.06	1.15		XX				
front/rear	18	8.50	92	-885250	17.50		5.44	4.06	1.15				XX		
front/rear	18	8.50	95	-885250	17.50		5.44	4.06	1.15					XX	
front	20	8.50	32	-085248	0.00		4.69	4.81	1.90		XX				
notes	c/c														
62-67 Chevy II, Nova 5x4.75 70.3 0-15 7/16 (X-Body)															
oe front		14	6.00				0.00	3.50	3.50						
oe rear		14	6.00				0.00	3.50	3.50						
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/oe	01	32	82	92	95	
front	15	3.75	82 92	-537240	-28.70		1.25	3.50	0.00			XX	XX		
front	15	5.00	92	-550244	-15.80		2.38	3.62	0.12						
front/rear	15	6.00	32	-560231	-8.13		3.12	3.88	0.38		XX				
front/rear	15	7.00	32	-570238	-5.06		3.74	4.26	0.76		XX				
front/rear	15	7.00	92	-570246	-12.70		3.50	4.50	1.00			XX			
rear	15	8.00	32	-580245	0.00		4.44	4.56	1.06		XX				
rear	15	8.00	82 92	-580248	0.00		4.50	4.50	1.00			XX	XX		
front	17	4.50	82 92	-745242	-25.40		1.75	3.75	0.25			XX	XX		
front	17	4.50	95	-745242	-25.40		1.75	3.75	0.25					XX	
front/rear	17	6.00	32	-760235	0.00		3.44	3.56	0.06		XX				
front/rear	17	7.00	32	-770238	-5.10		3.74	4.26	0.76		XX				
front/rear	17	7.00	92	-770247	6.40		4.25	3.75	0.25				XX		
front/rear	17	7.00	95	-770247	6.40		4.25	3.75	0.25					XX	
rear	17	8.00	32	-780245	0.00		4.44	4.56	1.06		XX				
rear	17	8.00	92	-780248	0.00		4.50	4.50	1.00				XX		
front	18	5.00	92	-850245	-25.40		2.00	4.00	0.50				XX		
front	18	5.00	95	-850245	-25.40		2.00	4.00	0.50					XX	
front/rear	18	7.00	32	-870240	0.00		3.94	4.06	0.56		XX				
rear	20	8.50	32	-085247	0.00		4.69	4.81	1.31		XX				
notes	c/c														



78-87 El Camino, Monte Carlo 5x4.75 70.3 0-15 12mm (G Body)																				
oe	front	15	7.00			15.00		4.59	3.41											
oe	rear	16	7.00			15.00		4.59	3.41											
			dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/oe	01	32	82	92	95	82/92	32	01/95	
	front	15	3.75	82, 92	-537240	-28.70		1.25	3.50	0.10				XX	XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	front	15	5.00	92	-550244	-15.80		2.38	3.62	0.21					XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	front/rear	15	6.00	32	-560231	-8.13		3.12	3.88	0.47			XX				605-31414-10/20 (closed)			7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
	front/rear	15	7.00	32	-570238	-5.06		3.74	4.26	0.85			XX				605-31414-10/20 (closed)			7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
	front/rear	15	7.00	92	-570246	-12.70		3.50	4.50	1.09					XX		601-1414-20 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	rear	15	8.00	32	-580245	0.00		4.44	4.56	1.15			XX				605-41414-10 (closed)			7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
	rear	15	8.00	92	-580247	-12.70		3.94	5.06	1.65					XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	rear	15	8.00	82, 92	-580248	0.00		4.50	4.50	1.09				XX	XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	front	17	4.50	82, 92	-745242	-25.40		1.75	3.75	0.34				XX	XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	front	17	4.50	95	-745242	-25.40		1.75	3.75	0.34						XX	602-2437-10 (closed)			7/16 lug kit, (95 series) (ACORN LUG NUT)
	front/rear	17	6.00	32	-760235	0.00		3.44	3.56	0.15			XX				605-41414-10/20 (closed)			7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
	front/rear	17	7.00	32	-770238	-5.10		3.74	4.26	0.85			XX				605-31414-10/20 (closed)			7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
	front/rear	17	7.00	92	-770247	6.40		4.25	3.75	0.34					XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	front/rear	17	7.00	95	-770247	6.40		4.25	3.75	0.34						XX	602-2437-10 (closed)			7/16 lug kit, (95 series) (ACORN LUG NUT)
	rear	17	8.00	32	-780245	0.00		4.44	4.56	1.15			XX				605-41414-10 (closed)			7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
	rear	17	8.00	92	-780248	0.00		4.50	4.50	1.09					XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	rear	17	9.00	32	-790252	6.00		5.24	4.76	1.35										
	front	18	5.00	92	-850245	-25.40		2.00	4.00	0.59					XX		601-1414-10 (closed), 601-1424-10 (open)			7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	front	18	5.00	95	-850245	-25.40		2.00	4.00	0.59						XX	602-2437-10 (closed)			7/16 lug kit, (95 series) (ACORN LUG NUT)
	front/rear	18	7.00	32	-870240	0.00		3.94	4.06	0.65			XX				605-11414-10/20 (closed)			7/16 lug kit, (82/92 series) (13/16 x 1.68 long SHANK, 70.3hr)
	rear	20	8.50	32	-085247	0.00		4.69	4.81	1.40			XX				605-31414-10/20 (closed)			7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
	notes		c/c																	
2004 Monte Carlo 5x115 70.3 35-45mm 12mm (FWD)																				
oe	front	17	6.50			52.00		5.80	1.70											
oe	rear	17	6.50			52.00		5.80	1.70											
			dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/oe	32	82	92	95	82/92	32	01/95		
	rear	15	3.75	82, 92	-537140	-28.70		1.25	3.50	1.80				XX	XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	rear	15	5.00	92	-550144	-15.80		2.38	3.62	1.92					XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	front	15	10.00	92	-510154	44.00		7.23	3.77	2.06					XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	front/rear	15	8.00	82, 92	-580150	19.00		5.25	3.75	2.05			XX	XX			601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	rear	17	4.50	92	-745142	-25.40		1.75	3.75	2.05					XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	rear	17	4.50	95	-745142	-25.40		1.75	3.75	2.05						XX	602-2439-10/20 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
	front/rear	17	7.00	92	-770247	6.40		4.25	3.75	2.05					XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	front/rear	17	7.00	95	-770247	6.40		4.25	3.75	2.05						XX	602-2439-10/20 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
	front/rear	17	9.50	92	-795153	41.00		6.86	3.64	1.93				XX			601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	front/rear	17	9.50	95	-795153	41.00		6.86	3.64	1.93						XX	602-2439-10/20 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
	rear	18	5.00	92	-850145	-25.40	-12.70	2.50	3.50	1.80					XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	rear	18	5.00	95	-850145	-25.40		2.00	4.00	2.30						XX	602-2439-10/20 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
	front/rear	18	8.50	92	-885152	28.00		5.85	3.65	1.94					XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	front/rear	18	8.50	95	-885152	28.00		5.85	3.65	1.94						XX	602-2439-10/20 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
	front/rear	20	9.00	92	-090152	34.00		6.34	3.66	1.96			XX				601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	front/rear	20	6.00	92	-060146	-2.50		3.40	3.60	1.90			XX				601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
	notes		c/c																	