



**CHEVROLET CORVETTE C4 84-96 (89-92 SHOWN)**

89-92 Corvette C4 BASE 5x4.75 70.3 50 12mm 26"OD										W/ mm	RATIO	DIA	OD	S/W	SW/H	
Front/ Rear Rotor = 12"00"																
oe	front	17	9.5		275/40r17	50		7.22	3.28		275	40	17	25.66	10.83	4.33
oe	rear	17	9.5		275/40r17	50		7.22	3.28		275	40	17	25.66	10.83	4.33
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/ oe	01	32	82	92	95		
front	15	3.75	82, 92	-537240	-28.7		1.25	3.50	0.22			XX	XX	XX		
front	15	5.00	92	-550244	-15.8		2.38	3.62	0.34				XX	XX		
rear	15	10.00	82, 92	-510254	44		7.23	3.77	0.49				XX	XX		
rear	15	10.00	01, 95	-510254	44		7.23	3.77	0.49		XX			XX		
front	17	4.50	82, 92	-745242	-25.4		1.75	3.75	0.47			XX	XX	XX		
front	17	4.50	92	-745242	-25.4		1.75	3.75	0.47				XX	XX		
front	17	4.50	92	-745245	-12		2.28	3.22	-0.06				XX	XX		
front	17	4.50	01, 95	-745245	-12		2.28	3.22	-0.06		XX			XX		
front	17	7.00	92	-770247	6.4		4.25	3.75	0.47				XX	XX		
front	17	7.00	95	-770247	6.4		4.25	3.75	0.47				XX	XX		
front	17	7.00	92	-770249	22		4.87	3.13	-0.15				XX	XX		
front	17	7.00	95	-770249	22		4.87	3.13	-0.15				XX	XX		
front	17	8.00	92	-780250	25.4		5.50	3.50	0.22				XX	XX		
front	17	9.5	92	-795253	43.5		6.96	3.54	0.26				XX	XX		
rear	17	10.5	92	-705253-51	32	51	7.76	3.74	0.46				XX	XX		
front	18	5.00	92	-850246	-6		2.76	3.24	-0.05				XX	XX		
front	18	5.00	95	-850246	-6		2.76	3.24	-0.05		XX			XX		
front/rear	18	8.50	92	-885250	17.5		5.44	4.06	0.78				XX	XX		
front/rear	18	8.50	95	-885250	17.5		5.44	4.06	0.78				XX	XX		
front/rear	18	8.50	92	-885251	36		6.17	3.33	0.05				XX	XX		
rear	18	10.5	92	-805255	52		7.80	3.70	0.42				XX	XX		
front	20	6.00	92	-060246-3	-8.9	3.1	3.62	3.38	0.10				XX	XX		

82/ 92	32	01/ 95	
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
605-41412-10/20 (CLOSED)			12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)

**CHEVROLET CORVETTE C4 84-96 (93-96 SHOWN)**

93-96 Corvette C4 BASE 5x4.75 70.3 50 12mm 26"OD										W/ mm	RATIO	DIA	OD	S/W	SW/H	
Front Rotor = 13", Rear Rotor = 12"																
front	17	8.5			50		6.72	2.78		255	45	17	26.04	10.04	4.52	
rear	17	9.5			50		7.22	3.28		285	40	17	25.98	11.22	4.49	
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/ oe	01	32	82	92	95		
rear	15	10.00	92	-510254	44		7.23	3.77	0.49			XX	XX	XX		
rear	15	10.00	01, 95	-510254	44		7.23	3.77	0.49		XX			XX		
front	17	4.50	92	-745245	-12.6		2.25	3.25	0.46				XX	XX		
front	17	4.50	01, 95	-745245	-12.6		2.25	3.25	0.46		XX			XX		
front	17	7.00	92	-770249	22		4.87	3.13	0.35				XX	XX		
front	17	7.00	95	-770249	22		4.87	3.13	0.35				XX	XX		
rear	17	9.50	92	-795252	20	32	6.51	3.99	1.21				XX	XX		
rear	17	9.50	92	-795253	43		6.94	3.56	0.28				XX	XX		
rear	17	10.5	92	-705253	32	44	7.48	4.02	0.74				XX	XX		
front	18	5.00	92	-850246	-6		2.76	3.24	0.45				XX	XX		
front	18	5.00	95	-850246	-6		2.76	3.24	0.45				XX	XX		
front	18	8.50	92	-885251	36		6.17	3.33	0.55				XX	XX		
rear	18	10.5	92	-805255	52		7.80	3.70	0.42				XX	XX		
rear	18	10.5	95	-805255	52		7.80	3.70	0.42				XX	XX		
front	20	6.00	92	-060246-3	-8.9	3.1	3.62	3.38	3.38				XX	XX		

82/ 92	32	01/ 95	
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
605-41412-10/20 (CLOSED)			12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
605-41412-10/20 (CLOSED)			12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)			12mm lug kit, (95 series) (ACORN LUG NUT)
605-41412-10/20 (CLOSED)			12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)

**93-95 Corvette 207 C4 BASE 5x4.75 70.3 50 12mm 26"OD**

93-95 Corvette 207 C4 BASE 5x4.75 70.3 50 12mm 26"OD										W/ mm	RATIO	DIA	OD	S/W	SW/H	
Front Rotor = 13", Rear Rotor = 12"																
front	17	9.5			50		7.22	3.28		275	40	17	25.66	10.83	4.33	
rear	17	9.5			50		7.22	3.28		275	40	17	25.66	10.83	4.33	
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/ oe	01	32	82	92	95		
rear	15	10.00	82, 92	-510254	44		7.23	3.77	0.49			XX	XX	XX		
rear	15	10.00	01, 95	-510254	44		7.23	3.77	0.49		XX			XX		
front	17	4.50	82, 92	-745242	-25.4		1.75	3.75	0.47			XX	XX	XX		
front	17	4.50	92	-745242	-25.4		1.75	3.75	0.47				XX	XX		
front	17	4.50	92	-745245	-12		2.28	3.22	-0.06				XX	XX		
front	17	4.50	01, 95	-745245	-12		2.28	3.22	-0.06		XX			XX		
front	17	7.00	92	-770247	6.4		4.25	3.75	0.47				XX	XX		
front	17	7.00	95	-770247	6.4		4.25	3.75	0.47				XX	XX		
front	17	7.00	92	-770249	22		4.87	3.13	-0.15				XX	XX		
front	17	7.00	95	-770249	22		4.87	3.13	-0.15				XX	XX		
front/rear	17	9.50	92	-795253	43.5		6.96	3.54	0.26				XX	XX		
rear	17	10.5	92	-705253	32	50	7.72	3.78	0.50				XX	XX		
front	18	5.00	92	-850246	-6		2.76	3.24	-0.05				XX	XX		
front	18	5.00	95	-850246	-6		2.76	3.24	-0.05				XX	XX		
front	18	8.50	92													



88 Corvette Z51 C4 5x4.75 70.3 56 12mm 26"OD											W/mm	RATIO	DIA	OD	S/W	SW/H		
front	17	9.5			56		7.45	3.05			275	40	17	25.66	10.83	4.33		
rear	17	9.5			56		7.45	3.05			275	40	17	25.66	10.83	4.33		
dia.	width	part # prefix	part # suffix	offset mm	adj offset	bSPACE in	fSPACE in	stick out/ oe	01	32	82	92	95					
rear	15	10.00	82, 92	-510254	44	50	7.47	3.53	-0.47			XX	XX	82/ 92	32	01/ 95	605-31416-10/20 (closed)	12mm lug kit, (82/92 series) (13/16 x 1.00 long SHANK, 70.3hr)
front	17	4.50	82, 92	-745242	-25.4	-12.7	2.25	3.25	0.30			XX	XX	605-31416-10/20 (closed)			12mm lug kit, (82/92 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	17	4.50	92	-745245	-12		2.28	3.22	0.18		XX			601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	17	4.50	01, 95	-745245	-12		2.28	3.22	0.18		XX			601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	17	7.00	92	-770249	22		4.87	3.13	0.09			XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	17	7.00	95	-770249	22		4.87	3.13	0.09			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	17	8.00	92	-780250	25.4		5.50	3.50	0.45			XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front/rear	17	9.50	92	-795253	43.5		6.96	3.54	0.49			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
rear	17	10.5	92	-705253	32	52	7.80	3.70	0.66			XX	XX	605-51416-10/20 (closed)			12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)	
front	18	5.00	92	-850246	-6		2.76	3.24	0.19			XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	18	5.00	95	-850246	-6		2.76	3.24	0.19			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	18	8.50	92	-885251	36		6.17	3.33	0.29			XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
rear	18	10.5	92	-805256	60		8.11	3.39	0.34			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	20	6.00	92	-060246-10	-8.9	10	3.89	3.11	3.11			XX	XX	605-51416-10/20 (closed)			12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)	
notes	c/c																	
96 Corvette Z51 C4 5x4.75 70.3 50 12mm 26"OD											W/mm	RATIO	DIA	OD	S/W	SW/H		
front	17	9.5			50		7.22	3.28			275	40	17	25.66	10.83	4.33		
rear	17	9.5			50		7.22	3.28			275	40	17	25.66	10.83	4.33		
dia.	width	part # prefix	part # suffix	offset mm	adj offset	bSPACE in	fSPACE in	stick out/ oe	01	32	82	92	95					
rear	15	10.00	82, 92	-510254	44		7.23	3.77	0.49			XX	XX	82/ 92	32	01/ 95	601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	15	10.00	01, 95	-510254	44		7.23	3.77	0.49			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	17	4.50	82, 92	-745242	-25.4		1.75	3.75	0.47			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	17	4.50	95	-745242	-25.4		1.75	3.75	0.47			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	17	4.50	92	-745245	-12.7		2.25	3.25	-0.03			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	17	4.50	01, 95	-745245	-12.7		2.25	3.25	-0.03			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	17	7.00	92	-770247	6.4		4.25	3.75	0.47			XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	17	7.00	95	-770247	6.4		4.25	3.75	0.47			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	17	8.00	92	-780250	25.4		5.50	3.50	0.22			XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front/rear	17	9.50	92	-795253	43.5		6.96	3.54	0.26			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
rear	17	10.5	92	-705253	32	52	7.80	3.70	0.42			XX	XX	605-51416-10/20 (closed)			12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)	
front	18	5.00	92	-850246	-6		2.76	3.24	-0.05			XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	18	5.00	95	-850246	-6		2.76	3.24	-0.05			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	18	8.50	92	-885251	36	25	5.73	3.77	0.48			XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
rear	18	10.5	92	-805255	52		7.80	3.70	0.42			XX	XX	605-31416-10/20 (closed)			12mm lug kit, (82/92 series) (13/16 x 1.00 long SHANK, 70.3hr)	
rear	18	10.5	95	-805255	52		7.80	3.70	0.42			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	20	6.00	92	-060246-10	-8.9	10	3.89	3.11	-0.18			XX	XX	605-51416-10/20 (closed)			12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)	
notes	c/c																	
88 Corvette Z52 C4 5x4.75 70.3 56 12mm 26"OD											W/mm	RATIO	DIA	OD	S/W	SW/H		
front	17	9.5			56		7.45	3.05			275	40	17	25.66	10.83	4.33		
rear	17	9.5			56		7.45	3.05			275	40	17	25.66	10.83	4.33		
dia.	width	part # prefix	part # suffix	offset mm	adj offset	bSPACE in	fSPACE in	stick out/ oe	01	32	82	92	95					
rear	15	10.00	82, 92	-510254	44	50	7.47	3.53	0.30			XX	XX	82/ 92	32	01/ 95	605-31416-10/20 (closed)	12mm lug kit, (82/92 series) (13/16 x 1.00 long SHANK, 70.3hr)
front	17	4.50	92	-745245	-12		2.28	3.22	0.18		XX			601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	17	4.50	01, 95	-745245	-12		2.28	3.22	0.18		XX			601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	17	7.00	92	-770249	22		4.87	3.13	0.09			XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	17	7.00	95	-770249	22		4.87	3.13	0.09			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	17	8.00	92	-780250	25.4		5.50	3.50	0.45			XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front/rear	17	9.50	92	-795253	43.5		6.96	3.54	0.49			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	18	5.00	92	-850246	-6		2.76	3.24	0.19			XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	18	5.00	95	-850246	-6		2.76	3.24	0.19			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	18	8.50	92	-885251	36		6.17	3.33	0.29			XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
rear	18	10.5	95	-805255	52		7.80	3.70	0.66			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (95 series) (ACORN LUG NUT)	
rear	18	10.5	92	-805255	52	58	8.03	3.47	0.42			XX	XX	605-31416-10/20 (closed)			12mm lug kit, (82/92 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	20	6.00	92	-060246-10	-8.9	10	3.89	3.11	3.11			XX	XX	605-51416-10/20 (closed)			12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)	
notes	c/c																	
90-95 Corvette ZR1 C4 5x4.75 70.3 36-50 12mm 26"OD											W/mm	RATIO	DIA	OD	S/W	SW/H		
front	17	9.5			50		7.22	3.28			275	40	17	25.66	10.83	4.33		
rear	17	9.5			50		7.22	3.28			315	35	17	25.68	12.40	4.34		
dia.	width	part # prefix	part # suffix	offset mm	adj offset	bSPACE in	fSPACE in	stick out/ oe	01	32	82	92	95					
front	17	4.50	82, 92	-745242	-25.4		1.75	3.75	0.47			XX	XX	82/ 92	32	01/ 95	601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	17	4.50	95	-745242	-25.4		1.75	3.75	0.47			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	17	4.50	92	-745245	-12.7		2.25	3.25	-0.03			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	17	4.50	01, 95	-745245	-12.7		2.25	3.25	-0.03			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	17	7.00	92	-770247	6.4		4.25	3.75	0.47			XX		601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	17	7.00	95	-770247	6.4		4.25	3.75	0.47			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (95 series) (ACORN LUG NUT)	
front	17	9.50	92	-795253	43.5		6.96	3.54	0.26			XX	XX	601-1412-10 (closed), 601-1422-10 (open)			12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	

### CHEVROLET CORVETTE C5 97-04

97-01 Corvette C5 BASE 5x4.75 70.3 56-65 12mm 26"OD											W/mm	RATIO	DIA	OD	S/W	SW/H
Front Rotor = 12.8", Rear Rotor = 12.0"																
oe	front	17	8.50				56	6.95	2.55		245	45	17	25.68	9.65	4.34
oe	rear	18	9.50				61	7.65	2.85		275	40	18	26.66	10.83	4.33
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/ oe		FI	32	82	92	95	
rear	15	10.00	92	-510254	44	56	7.70	3.30	0.45						XX	
front	17	4.50	92	-745245	-12	-6	2.51	2.99	0.44						XX	
front	17	7.00	92	-770249	22	28	5.10	2.90	0.35						XX	
rear	17	9.5	92	-795253	43.5	47.1	7.10	3.40	0.55						XX	
rear	17	10.5	92	-705253	32	51	7.76	3.74	0.89						XX	
front	18	5.00	92	-850247	0	0	3.00	3.00	0.45						XX	
front	18	8.50	92	-885253	50	0	6.72	2.78	0.24						XX	
rear	18	10.5	92	-805256	52	0	7.80	3.70	0.85						XX	
front	20	6.00	92	-060246-10	-8.9	10	3.89	3.11	3.11						XX	
notes	c/c															

82/92	32	01/95
605-41416-10/20 (CLOSED)		12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)
605-31416-10/20 (closed)		12mm lug kit, (82/92 series) (13/16 x 1.00 long SHANK, 70.3hr)
605-31416-10/20 (closed)		12mm lug kit, (82/92 series) (13/16 x 1.00 long SHANK, 70.3hr)
605-31416-10/20 (closed)		12mm lug kit, (82/92 series) (13/16 x 1.00 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
605-51416-10/20 (closed)		12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)

02-04 Corvette C5 BASE 5x4.75 70.3 58-65 12mm 26"OD											W/mm	RATIO	DIA	OD	S/W	SW/H
Front Rotor = 12.8", Rear Rotor = 12.0"																
oe	front	17	8.5				58	7.03	2.47		245	45	17	25.68	9.65	4.34
oe	rear	18	9.5				65	7.81	2.69		275	40	18	26.66	10.83	4.33
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/ oe		FI	32	82	92	95	
rear	15	10.00	92	-510254	44	58	7.76	3.22	0.53						XX	
front	17	4.50	92	-745245	-12	-6	2.51	2.99	0.52						XX	
front	17	7.00	92	-770249	22	28	5.10	2.90	0.43						XX	
front	17	8.00	92	-780250	25.4	39	6.04	2.96	0.50						XX	
rear	17	9.5	92	-795254	52	0	7.30	3.20	0.51						XX	
rear	17	10.5	92	-705253	32	51	7.76	3.74	1.05						XX	
front	18	5.00	92	-850247	0	0	3.00	3.00	0.53						XX	
front	18	5.00	95	-850247	0	0	3.00	3.00	0.53						XX	
front	18	8.50	92	-885253	50	0	6.72	2.78	0.31						XX	
rear	18	10.5	92	-805257	76	0	8.74	2.76	0.07						XX	
rear	18	10.5	95	-805257	76	0	8.74	2.76	0.07						XX	
front	20	6.00	92	-060246-10	-8.9	10	3.89	3.11	3.11						XX	
notes	c/c															

82/92	32	01/95
605-41416-10/20 (CLOSED)		12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)
605-31416-10/20 (closed)		12mm lug kit, (82/92 series) (13/16 x 1.00 long SHANK, 70.3hr)
605-31416-10/20 (closed)		12mm lug kit, (82/92 series) (13/16 x 1.00 long SHANK, 70.3hr)
605-41416-10/20 (CLOSED)		12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
605-51416-10/20 (closed)		12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)

01-04 Corvette C5 206 5x4.75 70.3 58-65 12mm 26"OD											W/mm	RATIO	DIA	OD	S/W	SW/H
Front Rotor = 12.8", Rear Rotor = 12.0"																
oe	front	17	9.5				54	7.38	3.12		265	40	17	25.35	10.43	4.17
oe	rear	18	10.5				58	8.03	3.47		295	35	18	26.13	11.61	4.06
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/ oe		FI	32	82	92	95	
front	17	4.50	92	-745245	-12.7	0	2.25	3.25	0.13						XX	
front	17	4.50	01, 95	-745245	-12.7	0	2.25	3.25	0.13		XX				XX	
front	17	7.00	92	-770249	22	0	4.87	3.13	0.01						XX	
front	17	7.00	95	-770249	22	0	4.87	3.13	0.01						XX	
rear	17	9.5	92	-795252	19	38	6.75	3.75	0.29						XX	
rear	17	10.5	92	-705253	32	51	7.76	3.74	0.28						XX	
front	18	5.00	92	-850246	-6	0	2.76	3.24	0.11						XX	
front	18	5.00	95	-850246	-6	0	2.76	3.24	-0.23						XX	
front	18	8.50	92	-885251	36	0	6.17	3.33	0.21						XX	
rear	18	10.5	92	-805255	52	0	7.80	3.70	0.24						XX	
rear	18	10.5	95	-805255	52	0	7.80	3.70	0.24						XX	
front	20	6.00	92	-060246-10	-8.9	10	3.89	3.11	3.11						XX	
notes	c/c															

82/92	32	01/95
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
605-51416-10/20 (closed)		12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)
605-51416-10/20 (closed)		12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
605-51416-10/20 (closed)		12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)

### CHEVROLET CORVETTE C6 05-13

05-13 Corvette C6 BASE 5x4.75 70.3 56-79 12mm 26"OD											W/mm	RATIO	DIA	OD	S/W	SW/H
Front Rotor = 12.8", Rear Rotor = 12.0"																
oe	front	18	8.50				56.00	6.95	2.55		245	40	18	25.72	9.65	3.86
oe	rear	19	10.00				79.00	8.61	2.39		285	35	19	26.85	11.22	3.93
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/ oe		FI	32	82	92	95	
front	17	4.50	92	-745245	-12.00	0	2.28	3.22	0.68						XX	
front	17	4.50	01, 95	-745245	-6.00	0	2.51	2.99	0.44		XX				XX	
front	17	7.00	92	-770249	22.00	0	4.87	3.13	0.59						XX	
front	17	7.00	95	-770249	22.00	0	4.87	3.13	0.59						XX	
rear	17	9.50	92	-795254	52.00	0	7.30	3.20	0.81						XX	
front	18	5.00	92	-850246	-6.00	0	2.76	3.24	0.69						XX	
front	18	5.00	95	-850246	-6.00	0	2.76	3.24	0.85						XX	
front	18	8.50	92	-885253	36.00	0	6.17	3.33	0.79						XX	
rear	18	10.50	92	-805257	60.00	0	8.11	3.39	1.00						XX	
rear	18	10.50	95	-805257	76.00	0	8.74	2.76	0.37						XX	
front	20	6.00	92	-060246-10	-8.9	10	3.89	3.11	0.72						XX	
notes	c/c															

82/92	32	01/95
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
602-2439-10 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)
605-51416-10/20 (closed)		12mm lug kit, (82/92 series) (13/16 x .550 long SHANK, 70.3hr)



12-13 Corvette C6 207 5x4.75 70.3 40-59 12mm 26"OD													W/mm	RATIO	DIA	OD	S/W	SW/H
Front Rotor = 14", Rear Rotor = 13.4" (Ceramic)																		
	front	19	10		40	7.07	3.93			285	30	19	25.73	11.22	3.37			
	rear	20	12		59	8.82	4.18			335	25	20	26.59	13.19	3.30			
		dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/ oe	FI	32	82	92	95			
	front	17	4.50	92	-745242	-25.4		1.75	3.75	-0.18				XX	XX			
	front	17	4.50	95	-745242	-25.4		1.75	3.75	-0.18					XX			
	front	17	7.00	92	-770247	6.4		4.25	3.75	-0.18				XX				
	front	17	7.00	95	-770247	6.4		4.25	3.75	-0.43					XX			
	rear	17	9.5	92	-795252	19		6.00	4.50	0.58				XX				
	front	17	9.50	92	-795252	19	32	6.51	3.99	-0.19				XX				
	rear	17	10.5	92	-705253	32		7.01	4.49	0.31				XX				
	rear	17	10.5	95	-705253	32		7.01	4.49	0.31					XX			
	front	18	5.00	92	-850245	-25.4		2.00	4.00	0.07				XX				
	front	18	5.00	95	-850245	-25.4		2.00	4.00	0.07					XX			
	front	18	8.50	92	-885250	17.5		5.44	4.06	0.14				XX				
	front	18	8.50	95	-885250	17.5		5.44	4.06	0.14					XX			
	rear	18	10.5	92	-805253	32		7.01	4.49	0.31				XX				
	rear	18	10.5	95	-805253	32		7.01	4.49	0.31					XX			
	front	20	6.00	92	-060246-10	-8.9	10	3.89	3.11	3.11				XX				
	notes	c/c																
13 Corvette C6 427 5x4.75 70.3 40-59 12mm 26"OD													W/mm	RATIO	DIA	OD	S/W	SW/H
Front Rotor = 14", Rear Rotor = 13.4"																		
	front	19	10		40	7.07	3.93			285	30	19	25.73	11.22	3.37			
	rear	20	12		59	8.82	4.18			335	25	20	26.59	13.19	3.30			
		dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/ oe	FI	32	82	92	95			
	front	17	4.50	92	-745242	-25.4		1.75	3.75	-0.18				XX	XX			
	front	17	4.50	95	-745242	-25.4		1.75	3.75	-0.18					XX			
	front	17	7.00	92	-770247	6.4		4.25	3.75	-0.18				XX				
	front	17	7.00	95	-770247	6.4		4.25	3.75	-0.43					XX			
	rear	17	9.5	92	-795252	19		6.00	4.50	0.58				XX				
	front	17	9.50	92	-795252	19	32	6.51	3.99	-0.19				XX				
	rear	17	10.5	92	-705253	32		7.01	4.49	0.31				XX				
	rear	17	10.5	95	-705253	32		7.01	4.49	0.31					XX			
	front	18	5.00	92	-850245	-25.4		2.00	4.00	0.07				XX				
	front	18	5.00	95	-850245	-25.4		2.00	4.00	0.07					XX			
	front	18	8.50	92	-885250	17.5		5.44	4.06	0.14				XX				
	front	18	8.50	95	-885250	17.5		5.44	4.06	0.14					XX			
	rear	18	10.5	92	-805253	32		7.01	4.49	0.31				XX				
	rear	18	10.5	95	-805253	32		7.01	4.49	0.31					XX			
	front	20	6.00	92	-060246-10	-8.9	10	3.89	3.11	3.11				XX				
	notes	c/c																
CHEVROLET CORVETTE C7 14 up																		
14-19 Corvette C7 BASE 5x4.75 70.3 56-79 12mm 26"OD (stingray)																		
Front Rotor = 13.3"																		
	oe front	18	8.50		56.00	6.95	2.55			245	40	18	25.72	9.65	3.86			
	oe rear	19	10.00		79.00	8.61	2.39			285	35	19	26.85	11.22	3.93			
		dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/ oe	FI	32	82	92	95			
	front	17	4.50	92	-745245	-12.00		2.25	3.25	0.70				XX	XX			
	front	17	7.00	92	-770249	22.00		4.87	3.13	0.59				XX				
	rear	17	9.50	92	-795254	52.00		7.30	3.20	0.81				XX				
	front	18	5.00	92	-850247	0.00		3.00	3.00	0.45				XX				
	front	18	8.50	92	-885253	50.00		6.72	2.78	0.24				XX				
	rear	18	10.50	92	-805257	76.00		8.74	2.76	0.37				XX				
	front	20	6.00	92	-060246-10	-8.9	10	3.89	3.11	3.11				XX				
	notes	c/c																
14-19 Corvette C7 251 5x4.75 70.3 56-79 12mm 26"OD																		
Front Rotor = 13.6", Rear Rotor = 13.3"																		
	front	19	8.5		56	6.95	2.55			245	35	19	25.75	9.65	3.38			
	rear	20	10		79	8.61	2.39			285	30	20	26.73	11.22	3.37			
		dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/ oe	FI	32	82	92	95			
	front	17	4.50	92	-745245	-12		2.25	3.25	0.70				XX	XX			
	front	17	7.00	92	-770249	22		4.87	3.13	0.59				XX				
	front	18	5.00	92	-850247	0		3.00	3.00	0.45				XX				
	front	18	8.50	92	-885251	36	43	6.44	3.06	0.51				XX				
	rear	18	10.5	92	-805257	76		8.74	2.76	0.37				XX				
	front	20	6.00	92	-060246-10	-8.9	10	3.89	3.11	3.11				XX				
	notes	c/c																
14-19 Corvette C7 206 5x4.75 70.3 43-59 12mm 26"OD																		
Front Rotor = 13.6", Rear Rotor = 13.3"																		
	front	19	8.5		56	6.95	2.55			245	35	19	25.75	9.65	3.38			
	rear	20	10		79	8.61	2.39			285	30	20	26.73	11.22	3.37			
		dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/ oe	FI	32	82	92	95			
	front	17	4.50	92	-745245	-12		2.25	3.25	0.70				XX	XX			
	front	17	7.00	92	-770249	22		4.87	3.13	0.59				XX				
	front	18	5.00	92	-850247	0		3.00	3.00	0.45				XX				
	front	18	8.50	92	-885251	36	43	6.44	3.06	0.51				XX				
	rear	18	10.5	92	-805257	76		8.74	2.76	0.37				XX				
	front	20	6.00	92	-060246-10	-8.9	10	3.89	3.11	3.11				XX				
	notes	c/c																

