

# Race Star Wheel Applications

These are recommended fitments for D.E. vehicles to the best of our knowledge and resources.

## CHEVROLET CAMARO/ PONTIAC FIREBIRD ALL YEARS

### 67-68 CAMARO/ FIREBIRD 5x4.75 70.3 0-15 7/16

	oe fr	oe rr	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bpace in	fspace in	stick out/ oe	01	32	82	92	95	82/ 92	32	01/ 95			
	14	6.00					0.00		3.50	3.50												
	14	6.00					0.00		3.50	3.50												
front	15	3.75	82_92	-537240	-28.70			1.25	3.50	0.00				XX	XX					601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	15	5.00	92	-550244	-15.80			2.38	3.62	0.12											601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front/ rear	15	6.00	32	-560231	-8.13			3.12	3.88	0.38			XX								605-31414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
front/ rear	15	7.00	32	-570238	-5.06			3.74	4.26	0.76			XX								605-31414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
front/ rear	15	7.00	92	-570246	-12.70			3.50	4.50	1.00					XX						601-1414-20 (closed), 601-1424-20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	15	8.00	32	-580245	0.00			4.44	4.56	1.06			XX								605-41414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
rear	15	8.00	92	-580247	-12.70			4.00	5.00	1.50					XX						601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	15	8.00	82_92	-580248	0.00			4.50	4.50	1.00				XX	XX						601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	17	4.50	82_92	-745242	-25.40			1.75	3.75	0.25				XX	XX						601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	17	4.50	95	-745242	-25.40			1.75	3.75	0.25						XX					602-2437-10 (closed)	7/16 lug kit, (95 series) (ACORN LUG NUT)
front/ rear	17	6.00	32	-760235	0.00			3.44	3.56	0.06			XX								605-41414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
front/ rear	17	7.00	32	-770238	-5.10			3.74	4.26	0.76			XX								605-31414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
front/ rear	17	7.00	92	-770247	6.40			4.25	3.75	0.25					XX						601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front/ rear	17	7.00	95	-770247	6.40			4.25	3.75	0.25						XX					602-2437-10 (closed)	7/16 lug kit, (95 series) (ACORN LUG NUT)
rear	17	8.00	32	-780245	0.00			4.44	4.56	1.06			XX								605-41414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
rear	17	8.00	92	-780248	0.00			4.50	4.50	1.00					XX						601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	18	5.00	92	-850245	-25.40			2.00	4.00	0.50						XX					601-1414-10 (closed), 601-1424-10 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	18	5.00	95	-850245	-25.40			2.00	4.00	0.50							XX				602-2437-10 (closed)	7/16 lug kit, (95 series) (ACORN LUG NUT)
front/ rear	18	7.00	32	-870240	0.00			3.94	4.06	0.56			XX								605-11414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
rear	20	8.50	32	-085247	0.00			4.69	4.81	1.31			XX								605-31414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)

notes c/c

### 69 CAMARO/ FIREBIRD 5x4.75 70.3 0-15 7/16

	oe fr	oe rr	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bpace in	fspace in	stick out/ oe	01	32	82	92	95	82/ 92	32	01/ 95				
	14	6.00					0.00		3.50	3.50													
	14	6.00					0.00		3.50	3.50													
front	15	3.75	82_92	-537240	-28.70			1.25	3.50	0.00				XX	XX						601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	15	5.00	92	-550244	-15.80			2.38	3.62	0.12												601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	15	6.00	32	-560231	0.00			3.44	3.56	0.06			XX									605-31414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
front/ rear	15	7.00	32	-570238	-5.10			3.74	4.26	0.76			XX									605-31414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
front/ rear	15	7.00	92	-570246	-12.70			3.50	4.50	1.00					XX							601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	15	8.00	32	-580245	0.00			4.44	4.56	1.06			XX									605-41414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
rear	15	8.00	92	-580247	-12.70			4.00	5.00	1.50					XX							601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	15	8.00	82_92	-580248	0.00			4.50	4.50	1.00				XX	XX							601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	17	4.50	82_92	-745242	-25.40			1.75	3.75	0.25				XX	XX							601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	17	4.50	95	-745242	-25.40			1.75	3.75	0.25						XX						602-2437-10/20 (closed)	7/16 lug kit, (95 series) (ACORN LUG NUT)
front/ rear	17	6.00	32	-760235	0.00			3.44	3.56	0.06			XX									605-41414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
front/ rear	17	7.00	32	-770238	-5.10			3.74	4.26	0.76			XX									605-31414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
front/ rear	17	7.00	92	-770247	6.40			4.25	3.75	0.25					XX							601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front/ rear	17	7.00	95	-770247	6.40			4.25	3.75	0.25						XX						602-2437-10/20 (closed)	7/16 lug kit, (95 series) (ACORN LUG NUT)
rear	17	8.00	32	-780245	0.00			4.44	4.56	1.06			XX									605-41414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
rear	17	8.00	92	-780248	0.00			4.50	4.50	1.00					XX							601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	17	9.00	32	-780250	0.00			4.94	5.06	1.56			XX									605-41414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
rear	17	9.50	92	-795249	0.00			5.19	5.31	1.81						XX						601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	18	5.00	92	-850245	-25.40			2.00	4.00	0.50						XX						601-1414-10/20 (closed), 601-1424-10/20 (open)	7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	18	5.00	95	-850245	-25.40			2.00	4.00	0.50							XX					602-2437-10 (closed)	7/16 lug kit, (95 series) (ACORN LUG NUT)
front/ rear	18	7.00	32	-870240	0.00			3.94	4.06	0.56			XX									605-11414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
rear	18	10.00	32	-810255	0.00			5.44	5.56	2.06			XX									605-31414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x .50 long SHANK, 70.3hr)
front/ rear	20	8.50	32	-085247	0.00			4.69	4.81	1.31			XX									605-31414-10/20 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
rear	20	10.00	32	-000255	0.00			5.44	5.56	2.06			XX									605-31414-10 (closed)	7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)

notes c/c

70-81 (2nd GEN) CAMARO/ FIREBIRD 5x4.75 70.3 0-15 7/16																		
oe fr	15	7.00					0.00		4.00	4.00								
oe rr	15	7.00					0.00		4.00	4.00								
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bpace in	fspace in	stick out/ oe	01	32	82	92	95	82/ 92	32	01/ 95	
front	15	3.75	82_92	-537240	-28.70		1.25	3.50	-0.50			XX	XX		601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	15	5.00	92	-550244	-15.80		2.38	3.62	-0.38						601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	15	6.00	32	-560231	-10.10		3.04	3.96	-0.04		XX				605-31414-10 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	15	7.00	32	-570240	0.00		3.94	4.06	0.06		XX				605-31414-10 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	15	7.00	92	-570246	-12.70		3.50	4.50	0.50				XX		601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front/rear	15	8.00	32	-580245	0.00		4.44	4.56	0.56		XX				605-31414-10 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front/rear	15	8.00	92	-580247	-12.70		4.00	5.00	1.00				XX		601-1414-10 / 20 (closed), 601-1424-20 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front/rear	15	8.00	82_92	-580248	0.00		4.50	4.50	0.50			XX	XX		601-1414-10 / 20 (closed), 601-1424-20 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
rear	15	10.00	32	-510255	0.00		5.44	5.56	1.56		XX				605-31414-10 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
rear	15	10.00	82_92	-510250	0.00		5.50	5.50	1.50				XX		601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	17	4.50	82_92	-745242	-25.40		1.75	3.75	-0.25			XX	XX		601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	17	4.50	95	-745242	-25.40		1.75	3.75	-0.25					XX	602-2437-10 / 20 (closed)		7/16 lug kit, (95 series) (ACORN LUG NUT)	
front	17	7.00	32	-770240	0.00		3.94	4.06	0.06		XX				605-31414-10 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	17	7.00	92	-770247	6.40		4.25	3.75	-0.25				XX		601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	17	7.00	95	-770247	6.40		4.25	3.75	-0.25					XX	602-2437-10 / 20 (closed)		7/16 lug kit, (95 series) (ACORN LUG NUT)	
front	17	8.00	32	-780245	0.00		4.44	4.56	0.56		XX				605-31414-10 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
rear	17	8.00	92	-780248	0.00		4.50	4.50	0.50				XX		601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
rear	17	9.00	32	-790250	0.00		4.94	5.06	1.06		XX				605-31414-10 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
rear	17	9.50	92	-795249	0.00		5.25	5.25	1.25				XX		601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	18	5.00	92	-850245	-25.40		2.00	4.00	0.00					XX	602-2437-10 / 20 (closed)		7/16 lug kit, (95 series) (ACORN LUG NUT)	
front	18	5.00	95	-850245	-25.40		2.00	4.00	0.00						605-31414-10 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	18	7.00	32	-870240	0.00		3.94	4.06	0.06		XX				601-1414-10 (closed), 601-1424-10 (open)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front/rear	18	8.50	92	-885250	17.50		5.44	4.06	0.06				XX		601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front/rear	18	8.50	95	-885250	17.50		5.44	4.06	0.06					XX	602-2437-10 / 20 (closed)		7/16 lug kit, (95 series) (ACORN LUG NUT)	
rear	18	10.00	32	-810250	0.00		5.44	5.56	1.56		XX				605-31414-10 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	20	6.00	92	-60246	-8.90		3.15	3.85	-0.15				XX		601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	20	8.50	32	-085248	0.00		4.69	4.81	0.81		XX				605-31414-10 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front/rear	20	9.00	92	090251	22.00		5.87	4.13	0.13				XX		601-1414-10 (closed), 601-1424-10 (open)		7/16 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
rear	20	10.00	32	-000250	0.00		5.44	5.56	1.56		XX				605-31414-10 (closed)		7/16 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
notes	c/c																	
82-92 (3rd GEN) CAMARO/ FIREBIRD 5x4.75 70.3 0-15 12mm 26" OD tire																		
oe fr	16	8.00					15.00		3.91									
oe rr	16	8.00					15.00		3.91									
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bpace in	fspace in	stick out/ oe	01	32	82	92	95	82/ 92	32	01/ 95	
front	15	3.75	82_92	-537240	-28.70		1.25	3.50	-0.40			XX	XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	15	5.00	92	-550244	-15.80		2.38	3.62	-0.29						601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	15	6.00	32	-560231	-10.10		3.04	3.96	0.05		XX				605-31412-10 (closed)		12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	15	7.00	32	-570240	0.00		3.94	4.06	0.15		XX				605-31412-10 (closed)		12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	15	7.00	92	-570246	-12.70		3.50	4.50	0.59				XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front/rear	15	8.00	32	-580245	0.00		4.44	4.56	0.65		XX				605-31412-10 (closed)		12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front/rear	15	8.00	92	-580247	-12.70		4.00	5.00	1.09				XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front/rear	15	8.00	82_92	-580248	0.00		4.50	4.50	0.59			XX	XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front/rear	15	10.00	32	-510255	0.00		5.44	5.56	1.65		XX				605-31412-10 (closed)		12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
rear	15	10.00	82_92	-510250	0.00		5.50	5.50	1.59				XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	17	4.50	82_92	-745242	-25.40		1.75	3.75	-0.16			XX	XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	17	4.50	95	-745242	-25.40		1.75	3.75	-0.16					XX	602-2439-10 / 20 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)	
front	17	7.00	32	-770240	0.00		3.94	4.06	0.15		XX				605-31412-10 (closed)		12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	17	7.00	92	-770247	6.40		4.25	3.75	-0.16				XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	17	7.00	95	-770247	6.40		4.25	3.75	-0.16					XX	602-2439-10 / 20 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)	
front	17	8.00	32	-780245	0.00		4.44	4.56	0.65		XX				605-31412-10 (closed)		12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
rear	17	8.00	92	-780248	0.00		4.50	4.50	0.59				XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
rear	17	9.00	32	-790250	0.00		4.94	5.06	1.15		XX				605-31412-10 (closed)		12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
rear	17	9.50	92	-795249	0.00		5.25	5.25	1.34				XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	18	5.00	92	-850245	-25.40		2.00	4.00	0.09					XX	602-2439-10 / 20 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)	
front	18	5.00	95	-850245	-25.40		2.00	4.00	0.09						605-31412-10 (closed)		12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	18	7.00	32	-870240	0.00		3.94	4.06	0.15		XX				601-1412-10 (closed), 601-1422-10 (open)		12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front/rear	18	8.50	92	-885250	17.50		5.44	4.06	0.15				XX		601-1412-10 (closed), 601-1422-10 (open)		12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front/rear	18	8.50	95	-885250	17.50		5.44	4.06	0.15					XX	602-2439-10 / 20 (closed)		12mm lug kit, (95 series) (ACORN LUG NUT)	
rear	18	10.00	32	-810250	0.00		5.44	5.56	1.65		XX				605-31412-10 (closed)		12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
front	20	8.50	32	-085248	0.00		4.69	4.81	0.90		XX				605-31412-10 (closed)		12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
rear	20	10.00	32	-000250	0.00		5.44	5.56	1.65		XX				605-31412-10 (closed)		12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)	
notes	c/c																	

93-02 (4th GEN) CAMARO/ FIREBIRD 5x4.75 70.3 35-45 12mm 26" OD tire																					
oe fr	oe rr	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/ oe	01	32	82	92	95	82/ 92	32	01/ 95			
17	8.00							35.00		3.12											
oe fr	17	8.00						35.00		3.12											
oe rr	17	11.00						50.00		7.97											
front	15	3.75	82	92	-537240	-28.70		1.25	3.50	0.38			XX	XX					601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)	
front	15	5.00	92		-550244	-15.80		2.38	3.62	0.50										601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	15	8.00	82	92	-580250	19.00		5.25	3.75	0.63			XX	XX						601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	15	10.00	82	92	-510254	44.00		7.23	3.77	0.65			XX	XX						601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	15	10.00	01	95	-510254	44.00	***	7.23	3.77	0.65	XX				XX					602-2439-10/ 20 (closed)	12mm lug kit, (95 series) (ACORN LUG NUT)
front	17	4.50	82	92	-745242	-25.40		1.75	3.75	0.63			XX	XX						601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	17	4.50	95		-745242	-25.40		1.75	3.75	0.63					XX					602-2439-10/ 20 (closed)	12mm lug kit, (95 series) (ACORN LUG NUT)
front	17	4.50	92		-745245	-12.00		2.28	3.22	0.10					XX					601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	17	4.50	01	95	-745245	-12.00		2.28	3.22	0.10	XX				XX					602-2439-10/ 20 (closed)	12mm lug kit, (95 series) (ACORN LUG NUT)
front	17	6.00	32		-760235	5.00		3.63	3.37	0.24										605-51412-10 (closed)	12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
front	17	7.00	32		-770242	10.18		4.34	3.66	0.54										605-51412-10 (closed)	12mm closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
front	17	7.00	92		-770247	6.40		4.25	3.75	0.63					XX					601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	17	7.00	95		-770247	6.40		4.25	3.75	0.63					XX					602-2439-10/ 20 (closed)	12mm lug kit, (95 series) (ACORN LUG NUT)
front	17	7.00	92		-770249	22.00		4.87	3.13	0.01					XX					601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	17	7.00	95		-770249	22.00		4.87	3.13	0.01					XX					602-2439-10/ 20 (closed)	12mm lug kit, (95 series) (ACORN LUG NUT)
front	17	8.00	92		-780250	25.40		5.50	3.50	0.38					XX					601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	17	9.50	92		-795253	41.00		6.86	3.64	0.51										601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	17	9.50	92		-795252-32	20.00	32.00	6.51	3.99	0.87					XX					601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	17	10.50	92		-705253-44	32.00	44.00	7.48	4.02	0.90					XX					601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	17	10.50	95		-705253	32.00		7.01	4.49	1.37										602-2439-10/ 20 (closed)	12mm lug kit, (95 series) (ACORN LUG NUT)
rear	17	11.00	01		-710254	38.00		7.50	4.50	1.38	XX									602-2439-10/ 20 (closed)	12mm lug kit, (95 series) (ACORN LUG NUT)
front	18	5.00	01		-850245	-25.40		2.00	4.00	0.88	XX									601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	18	5.00	92		-850246	-6.00		2.76	3.24	0.11					XX					602-2439-10/ 20 (closed)	12mm lug kit, (95 series) (ACORN LUG NUT)
front	18	5.00	95		-850246	-6.00		2.76	3.24	0.11					XX					605-11412-10 (closed)	12mm closed lug kit, (32 series) (13/16 x .75 long SHANK, 70.3hr)
front	18	7.00	32		-870240	0.00		3.94	4.06	0.94										601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front/rear	18	8.50	92		-885250	17.50		5.44	4.06	0.94					XX					602-2439-10/ 20 (closed)	12mm lug kit, (95 series) (ACORN LUG NUT)
front/rear	18	8.50	95		-885250	17.50		5.44	4.06	0.94					XX					602-2439-10/ 20 (closed)	12mm lug kit, (95 series) (ACORN LUG NUT)
front/rear	18	8.50	92		-885251	36.00		6.17	3.33	0.21					XX					601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	18	10.00	32		-810262	17.78		6.14	4.86	1.74					XX					605-51412-10 (closed)	12mm closed lug kit, (32 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	18	10.50	92		-805253-44	32.00	44.00	7.48	4.02	0.90					XX					601-1412-10 (closed), 601-1422-10 (open)	12mm lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	18	10.50	95		-805252	32.00		7.01	4.49	1.37					XX					602-2439-10/ 20 (closed)	12mm lug kit, (95 series) (ACORN LUG NUT)
front/rear	20	8.50	32		-085252	10.16		5.09	4.41	1.29					XX					605-41412-10 (closed)	12mm closed lug kit, (32 series) (13/16 x .75 long SHANK, 70.3hr)
rear	20	10.00	32		010261	17.78		6.14	4.86	1.74					XX					605-51412-10 (closed)	12mm closed lug kit, (32 series) (13/16 x 1.38 long SHANK, 70.3hr)
notes	c/c	*** "RSF-1 Forged Wheel Size 15 x 10-- After Mounting and Lowering the Vehicle MUST check for Caliper Clearance Before MOVING Vehicle"																			
2010-15 (5th GEN) Camaro LT/SS 5x120 66.9id 35-45os 14mmx1.5																					
LS(LT) Front = 12.64", Rear = 12.4", SS) Front rotor = 14", Rear rotor = 14.4"																					
oe fr	20	8.00						15.00		5.09											
oe rr	20	9.00						35.00		6.38											
front	17	4.50	92		-745242	-25.40		1.75	3.75	-0.16					XX					601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front	17	4.50	95		-745242	-25.40		1.75	3.75	-0.16										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
front	17	4.50	01		-745245	-12.70		2.25	3.25	-0.37	XX									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
front	17	7.00	92		-770247	6.40		4.25	3.75	-0.16					XX					601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front	17	7.00	95		-770247	6.40		4.25	3.75	-0.16										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
rear	17	9.50	92		-795252	19.00		6.00	4.50	0.88					XX					601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
rear	17	10.50	92		-705253	32.00		7.01	4.49	0.87					XX					601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
rear	17	10.50	95		-705253	32.00		7.01	4.49	0.87										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
rear	17	11.00	01		-710254	38.00		7.50	4.50	0.88	XX									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
front	18	5.00	92		-850245	-25.40		2.00	4.00	0.09										601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front	18	5.00	01	95	-850245	-25.40		2.00	4.00	0.09	XX									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
front/rear	18	8.50	92		-885250	17.50		5.44	4.06	0.15					XX					601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front/rear	18	8.50	95		-885250	17.50		5.44	4.06	0.44										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
rear	18	10.50	92		-805253	32.00		7.01	4.49	0.87					XX					601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
rear	18	10.50	95		-805253	32.00		7.01	4.49	0.87										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
front	20	6.00	92		060246	-8.90		3.15	3.85	-0.06					XX					601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)
front/rear	20	10.00	95		-010252	22.00		6.37	4.63	0.72										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
rear	20	11.00	95		-011254	41.00		7.61	4.39	-0.59										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)
notes	c/c																				
2014-15 (5th GEN) Camaro Z28 5x120 66.9id 35																					

2012-15 (5th GEN) Camaro ZL1 5x120 66.9id 35-45os 14mmx1.5														285	35	20	27.85	11.22	3.93				
Front rotor = 14.6", Rear rotor = 14.4"														305	35	20	28.41	12.01	4.20				
oe fr	20	10.00			23.00		6.41	4.59															
oe rr	20	11.00			43.00		7.69	4.31															
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/ oe	01	32	82	92	95	82/ 92	32	01/ 95						
front	17	9.5	92	-795252	19	***	6.00	4.50	-0.09														
rear	17	9.50	92	-795252	19.00	***	6.00	4.50	0.19										601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)			
rear	17	10.50	92	-705253	32.00	***	7.01	4.49	0.18										601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)			
rear	17	10.50	95	-705253	32.00	***	7.01	4.49	0.18										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)			
rear	17	11.00	01	-710254	38.00	***	7.50	4.50	0.20	XX									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)			
front	18	5.00	92	-850245	-25.40		2.00	4.00	-0.59										601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)			
front	18	5.00	01, 95	-850245	-25.40		2.00	4.00	-0.59	XX									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)			
front/ rear	18	8.50	92	-885250	17.50		5.44	4.06	-0.53										601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)			
front/ rear	18	8.50	95	-885250	17.50		5.44	4.06	-0.25										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)			
rear	18	10.50	92	-805253	32.00		7.01	4.49	0.18										601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)			
rear	18	10.50	95	-805253	32.00		7.01	4.49	0.18										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)			
front	20	6.00	92	060246	-8.90		3.15	3.85	-0.74										601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)			
front/ rear	20	10.00	95	-010252	22.00		6.37	4.63	0.04										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)			
rear	20	11.00	95	-011254	41.00		7.61	4.39	0.08										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)			
notes	c/c																						
***Customers have called in with fitment issues on 17's in the rear ZL1. MUST MUST MUST TEST FIT 17x10.5 & 17x9.5 in Rear Check For Hex Bolt																							
2016-19 (6th GEN) Camaro LT/SS 5x120 66.9id 35-45os 14mmx1.5																							
Front rotor = 13.6", Rear rotor = 13.3"																							
oe fr	20	8.50			25.00		5.73	3.77															
oe rr	20	9.50			39.00		6.79	3.71															
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bospace in	fspace in	stick out/ oe	01	32	82	92	95	82/ 92	32	01/ 95						
front	17	4.50	92	-745242	-25.40		1.75	3.75	-0.02										601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)			
front	17	4.50	95	-745242	-25.40		1.75	3.75	-0.02										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)			
front	17	4.50	01	-745245	-12.70		2.25	3.25	-0.46	XX									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)			
front	17	7.00	92	-770247	6.40		4.25	3.75	-0.02										601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)			
front	17	7.00	95	-770247	6.40		4.25	3.75	-0.02										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)			
front/ rear	17	9.50	92	-795252	19.00		6.00	4.50	0.79										601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)			
rear	17	10.50	92	-705253	32.00		7.01	4.49	0.78										601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)			
rear	17	10.50	95	-705253	32.00		7.01	4.49	0.78										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)			
rear	17	11.00	01	-710254	38.00		7.50	4.50	0.79	XX									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)			
front	18	5.00	92	-850245	-25.40		2.00	4.00	0.23										601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)			
front	18	5.00	01, 95	-850245	-25.40		2.00	4.00	0.23	XX									602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)			
front/ rear	18	8.50	92	-885250	17.50		5.44	4.06	0.30										601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)			
front/ rear	18	8.50	95	-885250	17.50		5.44	4.06	0.35										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)			
rear	18	10.50	92	-805253	32.00		7.01	4.49	0.78										601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)			
rear	18	10.50	95	-805253	32.00		7.01	4.49	0.78										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)			
front	20	6.00	92	060246	-8.90		3.15	3.85	0.08										601-1428-10/20 (closed), 601-1430-10/20 (open)	14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)			
front/ rear	20	10.00	95	-010252	22.00		6.37	4.63	0.87										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)			
rear	20	11.00	95	-011254	41.00		7.61	4.39	0.67										602-2428-10/20 (closed)	14mm lug kit, (95 series) (ACORN LUG NUT)			
notes	c/c																						

2016-19 (6th GEN) Camaro SS 1LE 5x120 66.9id 25-39os 14mmx1.5																				
Front rotor = 14.6", Rear rotor = 13.3"																				
oe fr	20	8.50			25.00		5.73	3.77												
oe rr	20	9.50			39.00		6.79	3.71												
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/ oe	01	32	82	92	95	82/ 92	32	01/ 95			
rear	17	9.50	92	-795252	19.00		6.00	4.50	0.79				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)			14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)		
rear	17	10.50	92	-705253	32.00		7.01	4.49	0.78				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)			14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)		
rear	17	10.50	95	-705253	32.00		7.01	4.49	0.78					XX	602-2428-10/20 (closed)			14mm lug kit, (95 series) (ACORN LUG NUT)		
rear	17	11.00	01	-710254	38.00		7.50	4.50	0.79	XX					602-2428-10/20 (closed)			14mm lug kit, (95 series) (ACORN LUG NUT)		
front	18	5.00	92	-850245	-25.40		2.00	4.00	0.23				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)			14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)		
front	18	5.00	01, 95	-850245	-25.40		2.00	4.00	0.23	XX				XX	602-2428-10/20 (closed)			14mm lug kit, (95 series) (ACORN LUG NUT)		
front/ rear	18	8.50	92	-885250	17.50		5.44	4.06	0.30				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)			14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)		
front/ rear	18	8.50	95	-885250	17.50		5.44	4.06	0.35					XX	602-2428-10/20 (closed)			14mm lug kit, (95 series) (ACORN LUG NUT)		
rear	18	10.50	92	-805253	32.00		7.01	4.49	0.78				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)			14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)		
rear	18	10.50	95	-805253	32.00		7.01	4.49	0.78					XX	602-2428-10/20 (closed)			14mm lug kit, (95 series) (ACORN LUG NUT)		
front	20	6.00	92	060246	-8.90		3.15	3.85	0.08				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)			14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)		
front/ rear	20	10.00	95	-010252	22.00		6.37	4.63	0.87					XX	602-2428-10/20 (closed)			14mm lug kit, (95 series) (ACORN LUG NUT)		
rear	20	11.00	95	-011254	41.00		7.61	4.39	0.67					XX	602-2428-10/20 (closed)			14mm lug kit, (95 series) (ACORN LUG NUT)		
notes	c/c																			
2016-19 (6th GEN) Camaro ZL1 5x120 66.9id 23-43os 14mmx1.5																				
Front rotor = 15.3", Rear rotor = 14.4"																				
oe fr	20	10.00			23.00		6.41	4.59							285	35	20	27.85	11.22	3.93
oe rr	20	11.00			43.00		7.69	4.31							305	35	20	28.41	12.01	4.20
	dia.	width	part # prefix	part # suffix	offset mm	adj offset	bspace in	fspace in	stick out/ oe	01	32	82	92	95	82/ 92	32	01/ 95			
rear	17	10.5	92	-705253	32.00	***	7.01	4.49	0.10				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)					
rear	17	9.50	92	-795252	19.00	***	6.00	4.50	0.19				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)					
front	18	5.00	92	-850245	-25.40		2.00	4.00	-0.59				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)			14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)		
front	18	5.00	01, 95	-850245	-25.40		2.00	4.00	-0.59	XX				XX	602-2428-10/20 (closed)			14mm lug kit, (95 series) (ACORN LUG NUT)		
rear	18	10.50	92	-805253	32.00		7.01	4.49	0.18				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)			14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)		
rear	18	10.50	95	-805253	32.00		7.01	4.49	0.18					XX	602-2428-10/20 (closed)			14mm lug kit, (95 series) (ACORN LUG NUT)		
front	20	6.00	92	060246	-8.90		3.15	3.85	-0.74				XX		601-1428-10/20 (closed), 601-1430-10/20 (open)			14mm lug kit, (92 series) (7/8 x 1.38 long SHANK, 66.9hr)		
front/ rear	20	10.00	95	-010252	22.00		6.37	4.63	0.04					XX	602-2428-10/20 (closed)			14mm lug kit, (95 series) (ACORN LUG NUT)		
rear	20	11.00	95	-011254	41.00		7.61	4.39	0.08					XX	602-2428-10/20 (closed)			14mm lug kit, (95 series) (ACORN LUG NUT)		
notes	c/c																			
***Customers have called in with fitment issues on 17's in the rear ZL1. MUST MUST MUST TEST FIT 17x10.5 & 17x9.5 in Rear																				