

71-87 C10 1500 2wd 5x5 78.1 0-15 1/2-20													82/ 92	32			
oe front/rear	15	7.00				0.00		4.00	4.00								
oe rear/rear	15	7.00				0.00		4.00	4.00								
	dia.	width	part # prefix	part # suffix	BOLT PTN	offset mm	adj offset	b space in	f space in	stick out/ oe	32	82	92				
front	15	6.00	32	-560935	5x5.00	0.00		3.50	3.50	-0.50	XX						
front	15	7.00	32	-570940	5x5.00	0.00		4.00	4.00	0.00	XX						
front/rear	15	8.00	32	-580945	5x5.00	0.00		4.50	4.50	0.50	XX						
rear	15	10.00	92	-510950	5x5.00	0.00		5.50	5.50	1.50			XX				
rear	15	10.00	32	-510955	5x5.00	0.00		5.50	5.50	1.50	XX						
front	17	4.50	92	-745942	5x5.00	-25.40		1.75	3.75	-0.25			XX				
front	17	6.00	32	-760930	5x5.00	-12.00		3.03	3.97	-0.03	XX						
front	17	7.00	92	-770947	5x5.00	6.40		4.25	3.75	-0.25			XX				
front/ rear	17	7.00	32	-770940	5x5.00	0.00		4.00	4.00	0.00	XX						
front/ rear	17	8.00	32	-780945	5x5.00	0.00		4.50	4.50	0.50	XX						
rear	17	9.00	32	-790950	5x5.00	0.00		5.00	5.00	1.00	XX						
rear	17	9.50	92	-795949	5x5.00	0.00		5.25	5.25	1.25			XX				
front	18	7.00	32	-870940	5x5.00	0.00		4.00	4.00	0.00	XX						
rear	18	10.00	32	-810955	5x5.00	0.00		5.50	5.50	1.50	XX						
rear	20	8.50	32	-085948	5x5.00	0.00		4.75	4.75	0.75	XX						
rear	20	10.00	32	-010955	5x5.00	0.00		5.50	5.50	1.50	XX						
notes	c/c																
88-98 C10 1500 2wd 5x5 78.1 0-15 14x1.5													82/ 92	32			
oe front/rear	15	7.00				0.00		4.00	4.00								
oe rear/rear	15	7.00				0.00		4.00	4.00								
	dia.	width	part # prefix	part # suffix	BOLT PTN	offset mm	adj offset	b space in	f space in	stick out/ oe	32	82	92				
front	15	6.00	32	-560935	5x5.00	0.00		3.50	3.50	-0.50	XX						
front	15	7.00	32	-570940	5x5.00	0.00		4.00	4.00	0.00	XX						
front/rear	15	8.00	32	-580945	5x5.00	0.00		4.50	4.50	0.50	XX						
rear	15	10.00	92	-510950	5x5.00	0.00		5.50	5.50	1.50			XX				
rear	15	10.00	32	-510955	5x5.00	0.00		5.50	5.50	1.50	XX						
front	17	4.50	92	-745942	5x5.00	-25.40		1.75	3.75	-0.25			XX				
front	17	6.00	32	-760930	5x5.00	-12.00		3.03	3.97	-0.03	XX						
front	17	7.00	92	-770947	5x5.00	6.40		4.25	3.75	-0.25			XX				
front/ rear	17	7.00	32	-770940	5x5.00	0.00		4.00	4.00	0.00	XX						
front/ rear	17	8.00	32	-780945	5x5.00	0.00		4.50	4.50	0.50	XX						
rear	17	9.00	32	-790950	5x5.00	0.00		5.00	5.00	1.00	XX						
rear	17	9.50	92	-795949	5x5.00	0.00		5.25	5.25	1.25			XX				
front	18	7.00	32	-870940	5x5.00	0.00		4.00	4.00	0.00	XX						
rear	18	10.00	32	-810955	5x5.00	0.00		5.50	5.50	1.50	XX						
rear	20	8.50	32	-085948	5x5.00	0.00		4.75	4.75	0.75	XX						
rear	20	10.00	32	-010955	5x5.00	0.00		5.50	5.50	1.50	XX						
notes	c/c																
99-04 Silverado 1500 2wd 6x5.50 78.1 15-25 14x1.5													82/ 92	32	93		
oe front/rear	16	7.00				15.00		4.59	3.41								
oe rear/rear	16	7.00				15.00		4.59	3.41								
	dia.	width	part # prefix	part # suffix	BOLT PTN	offset mm	adj offset	b space in	f space in	stick out/ oe	32	82	92	93			
rear	15	10.00	93	-510853	6x5.50	38.00		7.00	4.00	0.59				XX			
front	17	4.50	93	-745842	6x5.50	-25.40		1.75	3.75	0.34				XX			
front	17	7.00	93	-770847	6x5.50	0.00		4.00	4.00	0.59				XX			
rear	17	9.50	93	-795852	6x5.50	25.00		6.23	4.27	0.86				XX			
front/rear	20	9.00	93	-090851	6x5.50	25.00		5.98	4.02	0.61				XX			
notes	c/c																
1) 15X10 WILL REQUIRE BRAKE CONVERSION KIT ON REAR DISC APPLICATIONS (CONTACT 1320 WHEELS)																	
05-06 Silverado 1500 2wd 6x5.50 78.1 15-25 14x1.5													82/ 92	32	93		
oe front/rear	17	7.50				31.00		5.47	3.03								
oe rear/rear	20	8.50				22.00		5.62	3.88								
	dia.	width	part # prefix	part # suffix	BOLT PTN	offset mm	adj offset	b space in	f space in	stick out/ oe	32	82	92	93			
rear	15	10.00	93	-510853	6x5.50	38.00		7.00	4.00	0.12				XX			
front	17	4.50	93	-745842	6x5.50	-25.40		1.75	3.75	0.72				XX			
front	17	7.00	93	-770847	6x5.50	0.00		4.00	4.00	0.97				XX			
rear	17	9.50	93	-795852	6x5.50	25.00		6.23	4.27	0.38				XX			
front/rear	20	9.00	93	-090851	6x5.50	25.00		5.98	4.02	0.13				XX			
notes	c/c																
1) 15X10 WILL REQUIRE BRAKE CONVERSION KIT ON REAR DISC APPLICATIONS (CONTACT 1320 WHEELS)																	

front	18	5.00	92	-850245	5x4.75	-25.40	2.00	4.00	0.01								601-1412-10/ 20 (closed), 601-1422-20 (open)		12X1.5 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
front	18	7.00	92	-870247	5x4.75	0.00	4.00	4.00	0.01				XX		XX		601-1412-10/ 20 (closed), 601-1422-20 (open)		12X1.5 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	18	8.50	95	-885250	5x4.75	17.50	5.44	4.06	1.18						XX		601-1412-10/ 20 (closed), 601-1422-20 (open)	602-2439-12/24 (closed)	12X1.5 closed lug kit, (95 series) (3/4 Conical Seat)
rear	18	10.00	32	-810255	5x4.75	0.00	5.50	5.50	1.51				XX				605-31412-10/20 (closed)		12X1.5 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
front/rear	20	8.50	32	-085248	5x4.75	12.00	5.22	4.28	0.29				XX				605-31412-10/20 (closed)		12X1.5 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
rear	20	9.00	92	-095251	5x4.75	22.00	5.87	4.13	0.15				XX				601-1412-10/ 20 (closed), 601-1422-20 (open)		12X1.5 lug kit, (82/92 series) (13/16 x 1.38 long SHANK, 70.3hr)
rear	20	10.00	32	-010950	5x4.75	0.00	5.50	5.50	1.51				XX				605-31412-10/20 (closed)		12X1.5 closed lug kit, (32 series) (13/16 x 1.00 long SHANK, 70.3hr)
notes	c/c																		

A vertical rectangular box with a black border and horizontal lines inside, positioned in the center of the page. The box is empty and spans most of the page's height.

